



Low floor Civitas 23

M2 minibuss for passenger transport





Civitas 23

Designed for public transport

The Civitas 23 is a M2 approved vehicle and can accommodate up to 23 passengers. With its unique design the Civitas is spacious and lightweight for fuel saving. Thanks to LED lightning, yellow grasp handles and wide metro doors, boarding is extremely easy and fast.

CIVITAS



Versatile in use

With its high windows, low floor, large capacity and fully equipped driver's cabin, the Civitas is the unparalleled, multi-faceted solution for small-scale passenger transport. The Civitas 23 is extremely versatile and especially designed for public transport. It accommodates 23 passengers and offers 10 seats and 1 wheelchair place.



Compact dimensions

Thanks to its compact dimensions of length 6,96m and width 1,99m, the Civitas 23 feels at home anywhere. A perfect solution for urban areas and Airport shuttle service. The Civitas is available for M2 passenger transport and has a European Type Approval. The Civitas 23 is based on a Mercedes-Benz Sprinter L4H2. Tribus is an official Van-partner by Mercedes-Benz and factory warranty is retained.

Lightweight

Tribus products are developed with the aid of the latest computer technology by highly qualified engineers, creative designers and passionate customers. We developed a low floor chassis to create multi-functional area that is ideal for use as standing room or for wheelchairs. The construction is made of lightweight materials for fuel saving.



Accessibility

With its integrated or electrical ramp, lowered floor and wide entrance, all passengers are warmly invited for a comfortable ride. The double subway-style metro doors have heated window panes and an emergency control. Thanks to a slope of 6 degrees at a bus platform wheelchair passengers can board fast, safe and independently. The wide metro doors provide ample space for passengers with big luggage.



Integrated drivers cabin

In the passengers area are 6 stop buttons, long light tracks on the ceiling and a compact cooling and heating system available. The driver can operate the metro doors, air-conditioning and a route display from his drivers cabin. The Civitas 23 is equipped with a payment table, smartcard preparations and a compartment for external hardware.



Specifications

CIVITAS

TECHNICAL SPECIFICATIONS	CIVITAS
Number of passengers	Up to 23* passengers
Number of seats	10
Wheelchair space	1
Legroom	Between 900 and 1010mm
CAPACITY	
Length	6960 mm
Width	1990 mm
Height	2650 mm
Wheel base	4320 mm
Front overhang	1020 mm
Rear overhang	1620 mm
ACCESSIBILITY	
Passenger entry	Double subway-style metro doors. Door width 1200 mm. Integrated handrails.
Passenger entry height	Street level 270 mm - bus platform 90 mm
Wheelchair ramp	Length 82 cm x width 88 cm. Slope at bus platform 6° (integrated or electrical)
FEATURES	
Panoramic windows	9 m2 unobstructed view
Route display	Digital LED matrix
Stop buttons	6 stop buttons in passengers area
Assistance buttons	1 assistance button for wheelchair passenger (in- and external)
Airconditioning	Compact cooling and heating system in het passengers area
Integrated drivers cabin**	Payment table, smartcard preparations, compartment for external hardware.
* Based on a Mercedes-Benz Sprinter 5,5 t. GVW the maximum capacity is up to 29 passengers.	
** Full control of all facilities in the passengers area.	

All rights reserved. All information may be subject to changes and typographical errors.

VK-90-191004